AUTHOR AND SUBJECT INDEX: VOLUME 8, 1999

Author Index

Ackerman MH. What would Vesalius think? 1999;8:70-71
Adkisson P (See Schickel SI et al) 1999;8:406-409
Albert NM, Spear BT, Hammel J. Agreement and clinical utility of 2 techniques for measuring cardiac output in patients with low cardiac output. 1999;8:464-474
Alsabrook G, Lazio L, Lasater M. Noninvasive assessment of hemodynamic characteristics in an episode of sustained narrow-complex tachycardia. 1999;8:243-245
Alvord LS (See Wallace CJ) 1999;8:210-219
Anderson KL. Change in quality of life after lung volume reduction surgery. 1999;8:389-396
Andrews M (See Schmelz JO et al) 1999;8:319-323
Arbour RB. Propylene glycol toxicity related to high-dose lorazepam infusion: case report and discussion. 1999;8:499-506
Arrants J, Willis ME, Stevens B, Gripkey L, Herman JA, Hernandez-Brooks L, Eaker J. Reliability of an intravenous intermittent access port (saline lock) for obtaining blood samples for coagulation studies. 1999;8:344-348
Atkins PJ (See Carroll KC et al) 1999;8:105-117
Aud MA (See Metheny NA et al) 1999;8:160-167
Baggs JG. Women in the intensive care unit. 1999;8:207-209
Bayly R (See Besserman E et al) 1999;8:170-179
Belden J (See McCloy K et al) 1999;8:86-92
Bennett SJ (See Powers J) 1999;8:254-261
Besserman E, Teres D, Logan A, Brennan M, Cleaves S, Bayly R, Brochis D, Nemeth B, Grare J, Ngo D. Use of flexible intermediate and intensive care to reduce multiple transfers of patients. 1999;8:170-179
Biel M, Eastwood J, Muenzen P, Greenberg S. Evolving trends in critical care nursing practice: results of a certification role delineation study. 1999;8:285-290
Bott MJ (See Boyle DK et al) 1999;8:361-371
Bowman JM (See Griffiths DH et al) 1999;8:101-104
Boyle DK, Bott MJ, Hansen HE, Woods CQ, Taunton RL. Managers' leadership and critical care nurses' intent to stay. 1999;8:361-371
Brennan M (See Besserman E et al) 1999;8:170-179
Brochis D (See Besserman E et al) 1999;8:170-179
Broscious SK. Music: an intervention for pain during chest tube removal after open heart surgery. 1999;8:410-415
Bryan-Brown CW (See Dracup K) 1999;8:68-69
—(See Dracup K) 1999;8:204-206
—(See Dracup K) 1999;8:356-358
Bryan-Brown CW, Dracup K. International viewpoints. 1999;8:282-284
—The critical care trajectory. 1999;8:137-139
—Thoughts on waiting for the millennium 1999;8:461-463
Canody C (See Savage LS) 1999;8:340-343
Cantley M (See Grap MJ et al) 1999;8:475-480
Carboni AF. Inherited thrombophilic syndromes and the use of ventricular assist devices. 1999;8:127-129
Carlson EV, Kemp MG, Shott S. Predicting the risk of pressure ulcers in critically ill patients. 1999;8:262-269
Carroll KC, Atkins PJ, Herold GR, Mlcek CA, Shively M, Clopton P, Glaser DN. Pain assessment and management in critically ill postoperative and trauma patients: a multisite study. 1999;8:105-117
Castelfranco AM (See Verderber A et al) 1999;8:140-148
Castenada J (See McCloy K et al) 1999;8:86-92
Cheung RB (See Johnson KL et al) 1999;8:490-498
Cleaves S (See Besserman E et al) 1999;8:170-179
Clopton P (See Carroll KC et al) 1999;8:105-117
Comeau-Luis OY, Corbett SW, Wittlake WA, Jutzy KR, Huiskes BL. Case report: reversal of an evolving myocardial infarction with intravenous thrombolysis. 1999;8:246-249
Corbett SW (See Comeau-Luis OY et al) 1999;8:246-249
Corley M (See Grap MJ et al) 1999;8:475-480
Creighton-Kelly S (See Goldsborough MA et al) 1999;8:149-153
Cronin SN (See Schickel SI et al) 1999;8:406-409
Curley MAQ. Prone positioning of patients with acute respiratory distress syndrome: a systematic review. 1999;8:397-405
Custer CA (See Goldsborough MA et al) 1999;8:149-153
DeLuca SA (See Juran NB et al) 1999;8:303-313
Doyle RL (See Faul JL et al) 1999;8:359-360
Dracup K (See Bryan-Brown CW) 1999;8:137-139
—(See Bryan-Brown CW) 1999;8:282-284
—(See Bryan-Brown CW) 1999;8:461-463
Dracup K, Bryan-Brown CW. Empathy: a challenge for critical care. 1999;8:204-206
—Intensive care units: achieving utopia. 1999;8:68-69
—Searching for satisfaction. 1999;8:356-358
Drew BJ, Krucoff MW. Multilead ST-segment monitoring in patients with acute coronary syndromes: a consensus statement for healthcare professionals. 1999;8:372-386
Eaker J (See Arrants J et al) 1999;8:344-348
Eastwood J (See Biel M et al) 1999;8:285-290
Erickson V (See McCloy K et al) 1999;8:86-92
Faul JL, Doyle RL, Weinacker AB, Raffin TA. Quality of life and lung volume reduction surgery. 1999;8:359-360
Fitch JA, Munro CL, Glass CA, Pellegrini JM. Oral care in the adult intensive care unit. 1999;8:314-318
Futterman LG, Lemberg L. Commotio cordis: sudden cardiac death in athletes. 1999;8:270-272
—Heart rate is a simplistic marker of mortality in acute myocardial infarction. 1999;8:197-199
—Low-molecular-weight heparin: an antithrombotic agent whose time has come. 1999;8:520-523
—The use of antioxidants in retarding atherosclerosis: fact or fiction? 1999;8:130-133
—VEGF and TMR: myocardial revascularization in the next millenium. 1999;8:349-353
—Stroke risk, cholesterol and statins. 1999;8:416-419
Garvin BJ (See Kim H et al) 1999;8:118-126
Gawlinski A (See McCloy K et al) 1999;8:86-92
Gibson J (See Goldsborough MA et al) 1999;8:149-153
Glaser DN (See Carroll KC et al) 1999;8:105-117
Glaser DN. The controversy of significance testing: misconceptions and alternatives. 1999;8:291-296
Glass C, Grap MJ, Sessler CN. Endotracheal tube narrowing after closed-system suctioning: prevalence and risk factors. 1999;8: 93-100
Glass CA (See Fitch JA et al) 1999;8:314-318
Golden P. Chylothorax in blunt trauma: a case report. 1999;8: 189-192
Goldsborough MA, Miller MH, Gibson J, Creighton-Kelly S, Custer CA, Wallop JM, Greene PS. Prevalence of leg wound complications after coronary artery bypass grafting: determination of risk factors. 1999;8:149-153
Gordon PA (See Schmelz JO et al) 1999;8:319-323
Grap MJ (See Glass C et al) 1999;8:93-100
—(See Savage L) 1999;8:154-159
Grap MJ, Cantley M, Munro CL, Corley M. Use of backrest elevation in critical care: a pilot study. 1999;8:475-480
Grare J (See Besserman E et al) 1999;8:170-179
Greenberg S (See Biel M et al) 1999;8:285-290

Greene PS (See Goldsborough MA et al) 1999;8:149-153
Griffiths DH, Pokorny ME, Bowman JM. Differences in African American and white women with myocardial infarction: history, presentation, diagnostic methods, and infarction type. 1999;8:101-104
Gripkey L (See Arrants J et al) 1999;8:344-348
Hammel J (See Albert NM et al) 1999;8:464-474
Hansen HE (See Boyle DK et al) 1999;8:361-371
Harvey MA. Point-of-care laboratory testing in critical care. 1999;8:72-83
Henker R. Evidence-based practice: fever-related interventions. 1999;8:481-487
Herman JA (See Arrants J et al) 1999;8:344-348
Hernandez-Brooks L (See Arrants J et al) 1999;8:344-348
Herold GR (See Carroll KC et al) 1999;8:105-117
Holmes LI (See Shinnick MA) 1999;8:193-196
Huiskes BL (See Comeau-Luis OY et al) 1999;8:246-249
Jensen L (See Scherr K et al) 1999;8:324-337
Johnson D (See Schmelz JO et al) 1999;8:319-323
Johnson KG (See Verderber A et al) 1999;8:140-148
Johnson KL, Cheung RB, Johnson SB, Roberts M, Niblett J, Manson D. Therapeutic paralysis of critically ill trauma patients: perceptions of patients and their family members. 1999;8:490-498
Johnson SB (See Johnson KL et al) 1999;8:490-498
Juran NB, Rouse CL, Smith DD, O'Brien MA, DeLuca SA, Sigmon K. Nursing interventions to decrease bleeding at the femoral access site after percutaneous coronary intervention. 1999;8:303-313
Jutzy KR (See Comeau-Luis OY et al) 1999;8:246-249
Kemp MG (See Carlson EV et al) 1999;8:262-269
Kim H, Garvin BJ, Moser DK. Stress during mechanical ventilation: benefit of having concrete objective information before cardiac surgery. 1999;8:118-126
Kinloch D. Instillation of normal saline during endotracheal suctioning: effects on mixed venous oxygen saturation. 1999;8:231-240
Koch K (See McCloy K et al) 1999;8:86-92
Kollef MH, Sherman G. Acquired organ system derangements and hospital mortality: are all organ systems created equally? 1999;8:180-188
Koshal A (See Scherr K et al) 1999;8:324-337
Kowalski SD, Rayfield CA. A post hoc descriptive study of patients receiving propofol. 1999;8:507-513
Krucoff MW (See Drew BJ) 1999;8:372-386
Lasater M (See Alsabrook G et al) 1999;8:243-245
Lazio L (See Alsabrook G et al) 1999;8:243-245
Lemberg L (See Futterman LG) 1999;8:130-133
—(See Futterman LG) 1999;8:197-199
—(See Futterman LG) 1999;8:270-272
—(See Futterman LG) 1999;8:349-353
—(See Futterman LG) 1999;8:520-523
—(See Futterman LG) 1999;8:416-419
Leung S (See McCloy K et al) 1999;8:86-92
Livingston N (See McCloy K et al) 1999;8:86-92
Logan A (See Besserman E et al) 1999;8:170-179
Luniewski M, Reigle J, White B. Card sort: an assessment tool for the educational needs of patients with heart failure. 1999;8:297-302
Manson D (See Johnson KL et al) 1999;8:490-498
McCloy K, Leung S, Belden J, Castenada J, Erickson V, Koch K, Livingston N, Moughrabis S, Gawlinski A. Effects of injectate volume on thermodilution measurements of cardiac output in patients with low ventricular ejection fraction. 1999;8:86-92
Metheny NA, Aud MA, Wunderlich RJ. A survey of bedside methods used to detect pulmonary aspiration of enteral formula in intubated tube-fed patients. 1999;8:160-167
Miller MH (See Goldsborough MA et al) 1999;8:149-153
Miracle V (See Schickel SI et al) 1999;8:406-409
Mlcek CA (See Carroll KC et al) 1999;8:105-117
Moser DK (See Kim H et al) 1999;8:118-126
Moughrabis S (See McCloy K et al) 1999;8:86-92
Muenzen P (See Biel M et al) 1999;8:285-290
Munro CL (See Fitch JA et al) 1999;8:314-318
—(See Grap MJ et al) 1999;8:475-480
Nemeth B (See Besserman E et al) 1999;8:170-179
Ngo D (See Besserman E et al) 1999;8:170-179
Niblett J (See Johnson KL et al) 1999;8:490-498
Nishioka D (See Verderber A et al) 1999;8:140-148
Norton JM (See Schmelz JO et al) 1999;8:319-323
O'Brien MA (See Juran NB et al) 1999;8:303-313
Ott BB. Advance directives: the emerging body of research. 1999;8:514-519
Pellegrini JM (See Fitch JA et al) 1999;8:314-318
Pokorny ME (See Griffiths DH et al) 1999;8:101-104
Powers J, Bennett SJ. Measurement of dyspnea in patients treated with mechanical ventilation. 1999;8:254-261
Powers JM. Obtaining blood samples for coagulation studies from a normal saline lock. 1999;8:250-253
Raffin TA (See Faul JL et al) 1999;8:359-360
Rayfield CA (See Kowalski SD) 1999;8:507-513
Reigle J (See Luniewski M et al) 1999;8:297-302
Roberts M (See Johnson KL et al) 1999;8:490-498
Robins J (See Wallace CJ et al) 1999;8:210-219
Rouse CL (See Juran NB et al) 1999;8:303-313
Savage L, Grap MJ. Telephone monitoring after early discharge for cardiac surgery patients. 1999;8:154-159
Savage LS, Canody C. Life with a left ventricular assist device: the patient's perspective. 1999;8:340-343
Scherr K, Jensen L, Koshal A. Mechanical circulatory support as a bridge to cardiac transplantation: toward the 21st century. 1999;8:324-337
Schickel SI, Adkisson P, Miracle V, Cronin SN. Achieving femoral artery hemostasis after cardiac catheterization: a comparison of methods. 1999;8:406-409
Schmelz JO, Johnson D, Norton JM, Andrews M, Gordon PA. Effects of position of chest drainage tube on volume drained and pressure. 1999;8:319-323
Sessler CN (See Glass C et al) 1999;8:93-100
Sherman G (See Kollef MH) 1999;8:180-188
Shinnick MA, Holmes LI. Coronary artery disease and homocysteine: a case study. 1999;8:193-196
Shively M (See Carroll KC et al) 1999;8:105-117
Shott S (See Carlson EV et al) 1999;8:262-269
Sigmon K (See Juran NB et al) 1999;8:303-313
Smith DD (See Juran NB et al) 1999;8:303-313
Spear BT (See Albert NM et al) 1999;8:464-474
Stevens B (See Arrants J et al) 1999;8:344-348
Taunton RL (See Boyle DK et al) 1999;8:361-371
Teres D (See Besserman E et al) 1999;8:170-179
Verderber A, Castelfranco AM, Nishioka D, Johnson KG. Cardiovascular risk factors and cardiac surgery outcomes in a multiethnic sample of men and women. 1999;8:140-148
Walker JM (See Wallace CJ) 1999;8:210-219
Wallace CJ, Robins J, Alvord LS, Walker JM. The effect of earplugs on sleep measures during exposure to simulated intensive care unit noise. 1999;8:210-219
Wallop JM (See Goldsborough MA et al) 1999;8:149-153
Weinacker AB (See Faul JL et al) 1999;8:359-360
White B (See Luniewski M et al) 1999;8:297-302
White JM. Effects of relaxing music on cardiac autonomic balance and anxiety after acute myocardial infarction. 1999;8:220-230
Willis ME (See Arrants J et al) 1999;8:344-348
Wittlake WA (See Comeau-Luis OY et al) 1999;8:246-249
Woods CQ (See Boyle DK et al) 1999;8:361-371
Wunderlich RJ (See Metheny NA et al) 1999;8:160-167

Subject Index

Advance directives
Ott BB. Advance directives: the emerging body of research. 1999;8:514-519

Angioplasty, transluminal, percutaneous coronary
Juran NB, Lang Rouse C, Smith DD, O'Brien MA, DeLuca SA, Sigmon K. Nursing interventions to decrease bleeding at the femoral access site after percutaneous coronary intervention. 1999;8:303-313

Antilipemic agents
Futterman LG, Lemberg L. Stroke risk, cholesterol and statins. 1999;8:416-419

Antioxidants
Futterman LG, Lemberg L. The use of antioxidants in retarding atherosclerosis: fact or fiction? 1999;8:130-133

Anxiety reduction
Arbour RB. Propylene glycol toxicity related to high-dose lorazepam infusion: case report and discussion. 1999;8: 499-506
White JM. Effects of relaxing music on cardiac autonomic balance and anxiety after acute myocardial infarction. 1999;8:220-230

Arteriosclerosis
Futterman LG, Lemberg L. The use of antioxidants in retarding atherosclerosis: fact or fiction? 1999;8:130-133

Artificial airway management
Ackerman MH. What would Vesalius think? 1999;8:70-71
Glass C, Grap MJ, Sessler CN. Endotracheal tube narrowing after closed-system suctioning: prevalence and risk factors. 1999;8:93-100

Aspiration
Metheny NA, Aud MA, Wunderlich RJ. A survey of bedside methods used to detect pulmonary aspiration of enteral formula in intubated tube-fed patients. 1999;8:160-167

Assisted circulation
Scherr K, Jensen L, Koshal A. Mechanical circulatory support as a bridge to cardiac transplantation: toward the 21st century. 1999;8:324-337

Bleeding reduction
Juran NB, Lang Rouse C, Smith DD, O'Brien MA, DeLuca SA, Sigmon K. Nursing interventions to decrease bleeding at the femoral access site after percutaneous coronary intervention. 1999;8:303-313

Blood coagulation
Arrants J, Willis ME, Stevens B, Gripkey L, Herman JA, Hernandez-Brooks L, Eaker J. Reliability of an intravenous intermittent access port (saline lock) for obtaining blood samples for coagulation studies. 1999;8:344-348
Powers JM. Obtaining blood samples for coagulation studies from a normal saline lock. 1999;8:250-253

Blood specimen collection
Arrants J, Willis ME, Stevens B, Gripkey L, Herman JA, Hernandez-Brooks L, Eaker J. Reliability of an intravenous intermittent access port (saline lock) for obtaining blood samples for coagulation studies. 1999;8:344-348
Powers JM. Obtaining blood samples for coagulation studies from a normal saline lock. 1999;8:250-253

Body temperature
Henker R. Evidence-based practice: fever-related interventions. 1999;8:481-487

Cardiac care
Futterman LG, Lemberg L. Low-molecular-weight heparin: an antithrombotic agent whose time has come. 1999;8:520-523

Cardiac output
Albert NM, Spear BT, Hammel J. Agreement and clinical utility of 2 techniques for measuring cardiac output in patients with low cardiac output. 1999;8:464-474
McCloy K, Leung S, Belden J, Castenada J, Erickson V, Koch K, Livingston N, Moughrabis S, Gawlinski A. Effects of injectate volume on thermodilution measurements of cardiac output in patients with low ventricular ejection fraction. 1999;8:86-92

Cardiac patients
Luniewski M, Reigle J, White B. Card sort: an assessment tool for the educational needs of patients with heart failure. 1999;8:297-302
Savage L, Grap MJ. Telephone monitoring after early discharge for cardiac surgery patients. 1999;8:154-159
Savage LS, Canody C. Life with a left ventricular assist device: the patient's perspective. 1999;8:340-343

Cardiovascular nursing
Griffiths DH, Pokorny ME, Bowman JM. Differences in African American and white women with myocardial infarction: history, presentation, diagnostic methods, and infarction type. 1999;8:101-104

Cardiovascular risk factors
Verderber A, Castelfranco AM, Nishioka D, Johnson KG. Cardiovascular risk factors and cardiac surgery outcomes in a multiethnic sample of men and women. 1999;8:140-148

Cerebral vascular accident
Futterman LG, Lemberg L. Stroke risk, cholesterol and statins. 1999;8:416-419

Certification
Biel M, Eastwood J, Muenzen P, Greenberg S. Evolving trends in critical care nursing practice: results of a certification role delineation study. 1999;8:285-290

Chest tubes
Schmelz JO, Johnson D, Norton JM, Andrews M, Gordon PA. Effects of position of chest drainage tube on volume drained and pressure. 1999;8:319-323

Cholesterol
Futterman LG, Lemberg L. Stroke risk, cholesterol and statins. 1999;8:416-419

Chylothorax
Golden P. Chylothorax in blunt trauma: a case report. 1999;8: 189-192

Clinical research
Glaser DN. The controversy of significance testing: misconceptions and alternatives. 1999;8:291-296

Coronary artery bypass
Goldsborough MA, Miller MH, Gibson J, Creighton-Kelly S, Custer CA, Wallop JM, Greene PS. Prevalence of leg wound complications after coronary artery bypass grafting: determination of risk factors. 1999;8:149-153

Coronary disease
Drew BJ. Multilead ST-segment monitoring in patients with acute coronary syndromes: a consensus statement for healthcare professionals. 1999;8:372-386
Futterman LG, Lemberg L. Low-molecular-weight heparin: an antithrombotic agent whose time has come. 1999;8:520-523
—The use of antioxidants in retarding atherosclerosis: fact or fiction? 1999;8:130-133
—VEGF and TMR: myocardial revascularization in the next millennium. 1999;8:349-353
Shinnick MA, Holmes LI. Coronary artery disease and homocysteine: a case study. 1999;8:193-196

Credentialing
Biel M, Eastwood J, Muenzen P, Greenberg S. Evolving trends in critical care nursing practice: results of a certification role delineation study. 1999;8:285-290

Data analysis, statistical
Glaser DN. The controversy of significance testing: misconceptions and alternatives. 1999;8:291-296

Death, sudden, cardiac
Futterman LG, Lemberg L. Commotio cordis: sudden cardiac death in athletes. 1999;8:270-272

Decision making, patient
Ott BB. Advance directives: the emerging body of research. 1999;8:514-519
Drainage tube care
Schmelz JO, Johnson D, Norton JM, Andrews M, Gordon PA. Effects of position of chest drainage tube on volume drained and pressure. 1999;8:319-323
Dyspnea
Powers J, Bennett SJ. Measurement of dyspnea in patients treated with mechanical ventilation. 1999;8:254-261
Ear protective devices
Wallace CJ, Robins J, Alvord LS, Walker JM. The effect of earplugs on sleep measures during exposure to simulated intensive care unit noise. 1999;8:210-219
Early patient discharge
Savage L, Grap MJ. Telephone monitoring after early discharge for cardiac surgery patients. 1999;8:154-159
Electrocardiography
Drew BJ. Multilead ST-segment monitoring in patients with acute coronary syndromes: a consensus statement for healthcare professionals. 1999;8:372-386
Empathy
Dracup K, Bryan-Brown CW. Empathy: a challenge for critical care. 1999;8:204-206
Endothelins
Futterman LG, Lemberg L. VEGF and TMR: myocardial revascularization in the next millennium. 1999;8:349-353
Endotracheal tubes
Glass C, Grap MJ, Sessler CN. Endotracheal tube narrowing after closed-system suctioning: prevalence and risk factors. 1999;8:93-100
Enteral nutrition
Metheny NA, Aud MA, Wunderlich RJ. A survey of bedside methods used to detect pulmonary aspiration of enteral formula in intubated tube-fed patients. 1999;8:160-167
Enzyme inhibitors
Futterman LG, Lemberg L. Stroke risk, cholesterol and statins. 1999;8:416-419
Facility design and construction
Dracup K, Bryan-Brown CW. Intensive care units: achieving utopia. 1999;8:68-69
Family attitudes
Johnson KL, Cheung RB, Johnson SB, Roberts M, Niblett J, Manson D. Therapeutic paralysis of critically ill trauma patients: perceptions of patients and their family members. 1999;8:490-498
Femoral artery
Juran NB, Rouse CL, Smith DD, O'Brien MA, DeLuca SA, Sigmon K. Nursing interventions to decrease bleeding at the femoral access site after percutaneous coronary intervention. 1999;8:303-313
Schickel SI, Adkisson P, Miracle V, Cronin SN. Achieving femoral artery hemostasis after cardiac catheterization: a comparison of methods. 1999;8:406-409
Fever treatment
Henker R. Evidence-based practice: fever-related interventions. 1999;8:481-487
Fibrinolytic agents
Futterman LG, Lemberg L. Low-molecular-weight heparin: an antithrombotic agent whose time has come. 1999;8:520-523
Forecasting
Bryan-Brown CW, Dracup K. Thoughts on waiting for the millennium 1999;8:461-463
Futterman LG, Lemberg L. VEGF and TMR: myocardial revascularization in the next millennium. 1999;8:349-353
Future of medicine
Bryan-Brown CW, Dracup K. Thoughts on waiting for the millennium 1999;8:461-463
Futterman LG, Lemberg L. VEGF and TMR: myocardial revascularization in the next millennium. 1999;8:349-353
Grafts
Goldsborough MA, Miller MH, Gibson J, Creighton-Kelly S, Custer CA, Wallop JM, Greene PS. Prevalence of leg wound complications after coronary artery bypass grafting: determination of risk factors. 1999;8:149-153
Health facility planning
Dracup K, Bryan-Brown CW. Intensive care units: achieving utopia. 1999;8:68-69
Heart assist devices
Carboni AF. Inherited thrombophilic syndromes and the use of ventricular assist devices. 1999;8:127-129
Savage LS, Canody C. Life with a left ventricular assist device: the patient's perspective. 1999;8:340-343
Scherr K, Jensen L, Koshal A. Mechanical circulatory support as a bridge to cardiac transplantation: toward the 21st century. 1999;8:324-337
Heart catheterization
Schickel SI, Adkisson P, Miracle V, Cronin SN. Achieving femoral artery hemostasis after cardiac catheterization: a comparison of methods. 1999;8:406-409
Heart rate
Futterman LG, Lemberg L. Heart rate is a simplistic marker of mortality in acute myocardial infarction. 1999;8:197-199
Heart surgery
Broscious SK. Music: an intervention for pain during chest tube removal after open heart surgery. 1999;8:410-415
Kim H, Garvin BJ, Moser DK. Stress during mechanical ventilation: benefit of having concrete objective information before cardiac surgery. 1999;8:118-126
Goldsborough MA, Miller MH, Gibson J, Creighton-Kelly S, Custer CA, Wallop JM, Greene PS. Prevalence of leg wound complications after coronary artery bypass grafting: determination of risk factors. 1999;8:149-153
Verderber A, Castelfranco AM, Nishioka D, Johnson KG. Cardiovascular risk factors and cardiac surgery outcomes in a multiethnic sample of men and women. 1999;8:140-148
Heart transplantation
Scherr K, Jensen L, Koshal A. Mechanical circulatory support as a bridge to cardiac transplantation: toward the 21st century. 1999;8:324-337
Hemostasis
Juran NB, Rouse CL, Smith DD, O'Brien MA, DeLuca SA, Sigmon K. Nursing interventions to decrease bleeding at the femoral access site after percutaneous coronary intervention. 1999;8:303-313
Schickel SI, Adkisson P, Miracle V, Cronin SN. Achieving femoral artery hemostasis after cardiac catheterization: a comparison of methods. 1999;8:406-409
Hemostatic techniques
Juran NB, Rouse CL, Smith DD, O'Brien MA, DeLuca SA, Sigmon K. Nursing interventions to decrease bleeding at the femoral access site after percutaneous coronary intervention. 1999;8:303-313
Schickel SI, Adkisson P, Miracle V, Cronin SN. Achieving femoral artery hemostasis after cardiac catheterization:a comparison of methods. 1999;8:406-409
Heparin
Futterman LG, Lemberg L. Low-molecular-weight heparin: an antithrombotic agent whose time has come. 1999;8:520-523
Hospital mortality
Kollef MH, Sherman G. Acquired organ system derangements and hospital mortality: are all organ systems created equally? 1999;8:180-188
Hospital units
Besserman E, Teres D, Logan A, Brennan M, Cleaves S, Bayly R, Brochis D, Nemeth B, Grare J, Ngo D. Use of flexible

intermediate and intensive care to reduce multiple transfers of patients. 1999;8:170-179

Immobilization

Johnson KL, Cheung RB, Johnson SB, Roberts M, Niblett J, Manson D. Therapeutic paralysis of critically ill trauma patients: perceptions of patients and their family members. 1999;8:490-498

Intensive care units

Dracup K, Bryan-Brown CW. Intensive care units: achieving utopia. 1999;8:68-69

International nursing

Bryan-Brown CW, Dracup K. International viewpoints. 1999;8:282-284

Intubation

Ackerman MH. What would Vesalius think? 1999;8:70-71

Glass C, Grap MJ, Sessler CN. Endotracheal tube narrowing after closed-system suctioning: prevalence and risk factors. 1999;8:93-100

Intubation, intratracheal

Ackerman MH. What would Vesalius think? 1999;8:70-71

Glass C, Grap MJ, Sessler CN. Endotracheal tube narrowing after closed-system suctioning: prevalence and risk factors. 1999;8:93-100

Job satisfaction

Boyle DK, Bott MJ, Hansen HE, Woods CQ, Taunton RL. Managers' leadership and critical care nurses' intent to stay. 1999;8:361-371

Dracup K, Bryan-Brown CW. Searching for satisfaction. 1999;8:356-358

Leadership

Boyle DK, Bott MJ, Hansen HE, Woods CQ, Taunton RL. Managers' leadership and critical care nurses' intent to stay. 1999;8:361-371

Living wills

Ott BB. Advance directives: the emerging body of research. 1999;8:514-519

Lorazepam

Arbour RB. Propylene glycol toxicity related to high-dose lorazepam infusion: case report and discussion. 1999;8:499-506

Managed care programs

Bryan-Brown CW, Dracup K. The critical care trajectory. 1999;8:137-139

Management styles

Boyle DK, Bott MJ, Hansen HE, Woods CQ, Taunton RL. Managers' leadership and critical care nurses' intent to stay. 1999;8:361-371

Dracup K, Bryan-Brown CW. Searching for satisfaction. 1999;8:356-358

Measurement issues and assessments

Albert NM, Spear BT, Hammel J. Agreement and clinical utility of 2 techniques for measuring cardiac output in patients with low cardiac output. 1999;8:464-474

Monitoring, physiologic

Drew BJ. Multilead ST-segment monitoring in patients with acute coronary syndromes: a consensus statement for healthcare professionals. 1999;8:372-386

Mortality

Futterman LG, Lemberg L. Heart rate is a simplistic marker of mortality in acute myocardial infarction. 1999;8:197-199

Mouth care

Fitch JA, Munro CL, Glass CA, Pellegrini JM. Oral care in the adult intensive care unit. 1999;8:314-318

Multiple organ dysfunction

Kollef MH, Sherman G. Acquired organ system derangements and hospital mortality: are all organ systems created equally? 1999;8:180-188

Music therapy

Broscious SK. Music: an intervention for pain during chest tube removal after open heart surgery. 1999;8:410-415

White JM. Effects of relaxing music on cardiac autonomic balance and anxiety after acute myocardial infarction. 1999;8:220-230

Myocardial infarction

Comeau-Luis OY, Corbett SW, Wittlake WA, Jutzy KR, Huiskes BL. Case report: reversal of an evolving myocardial infarction with intravenous thrombolysis. 1999;8:246-249

Futterman LG, Lemberg L. Heart rate is a simplistic marker of mortality in acute myocardial infarction. 1999;8:197-199

Griffiths DH, Pokorny ME, Bowman JM. Differences in African American and white women with myocardial infarction: history, presentation, diagnostic methods,and infarction type. 1999;8:101-104

White JM. Effects of relaxing music on cardiac autonomic balance and anxiety after acute myocardial infarction. 1999;8:220-230

Myocardial ischemia

Drew BJ. Multilead ST-segment monitoring in patients with acute coronary syndromes: a consensus statement for healthcare professionals. 1999;8:372-386

Myocardial revascularization

Futterman LG, Lemberg L. VEGF and TMR: myocardial revascularization in the next millennium. 1999;8:349-353

Neuromuscular blocking agents

Johnson KL, Cheung RB, Johnson SB, Roberts M, Niblett J, Manson D. Therapeutic paralysis of critically ill trauma patients: perceptions of patients and their family members. 1999;8:490-498

Noise

Wallace CJ, Robins J, Alvord LS, Walker JM. The effect of earplugs on sleep measures during exposure to simulated intensive care unit noise. 1999;8:210-219

Noninvasive procedures

Alsabrook G, Lazio L, Lasater M. Noninvasive assessment of hemodynamic characteristics in an episode of sustained narrow-complex tachycardia. 1999;8:243-245

Nurse-patient relations

Dracup K, Bryan-Brown CW. Empathy: a challenge for critical care. 1999;8:204-206

Nurse managers

Boyle DK, Bott MJ, Hansen HE, Woods CQ, Taunton RL. Managers' leadership and critical care nurses' intent to stay. 1999;8:361-371

Dracup K, Bryan-Brown CW. Searching for satisfaction. 1999;8:356-358

Nursing interventions

Juran NB, Rouse CL, Smith DD, O'Brien MA, DeLuca SA, Sigmon K. Nursing interventions to decrease bleeding at the femoral access site after percutaneous coronary intervention. 1999;8:303-313

Nursing practice

Biel M, Eastwood J, Muenzen P, Greenberg S. Evolving trends in critical care nursing practice: results of a certification role delineation study. 1999;8:285-290

Dracup K, Bryan-Brown CW. Empathy: a challenge for critical care. 1999;8:204-206

— Intensive care units: achieving utopia. 1999;8:68-69

Fitch JA, Munro CL, Glass CA, Pellegrini JM. Oral care in the adult intensive care unit. 1999;8:314-318

Grap MJ, Cantley M, Munro CL, Corley M. Use of backrest elevation in critical care: a pilot study. 1999;8:475-480

Schmelz JO, Johnson D, Norton JM, Andrews M, Gordon PA. Effects of position of chest drainage tube on volume drained and pressure. 1999;8:319-323

Nursing practice, research based

Henker R. Evidence-based practice: fever-related interventions. 1999;8:481-487

Oral health maintenance

Fitch JA, Munro CL, Glass CA, Pellegrini JM. Oral care in the adult intensive care unit. 1999;8:314-318

Oral hygiene
Fitch JA, Munro CL, Glass CA, Pellegrini JM. Oral care in the adult intensive care unit. 1999;8:314-318
Organizational change
Bryan-Brown CW, Dracup K. The critical care trajectory. 1999;8:137-139
Outcomes
Verderber A, Castelfranco AM, Nishioka D, Johnson KG. *Cardiovascular risk factors and cardiac surgery outcomes in a* multiethnic sample of men and women. 1999;8:140-148
Oxygen saturation
*Kinloch D. Instillation of normal saline during endotracheal suc*tioning: effects on mixed venous oxygen saturation. *1999;8:231-240*
Pain management
Broscious SK. Music: an intervention for pain during chest tube removal after open heart surgery. *1999;8:410-415*
Carroll KC, Atkins PJ, Herold GR, Mlcek CA, Shively M, Clopton P, Glaser DN. Pain assessment and management in critically ill postoperative and trauma patients: a multisite study. 1999;8:105-117
Patient attitudes
Johnson KL, Cheung RB, Johnson SB, Roberts M, Niblett J, Manson D. Therapeutic paralysis of critically ill trauma patients: perceptions of patients and their family members. 1999;8:490-498
Patient autonomy
Ott BB. Advance directives: the emerging body of research. 1999;8:514-519
Patient education
Kim H, Garvin BJ, Moser DK. Stress during mechanical ventila*tion: benefit of having concrete objective information before* cardiac surgery. 1999;8:118-126
Luniewski M, Reigle J, White B. Card sort: an assessment tool for the educational needs of patients with heart failure. 1999;8:297-302
Patient positioning
Curley MAQ. Prone positioning of patients with acute respiratory distress syndrome: a systematic review. 1999; 8:397-405
Grap MJ, Cantley M, Munro CL, Corley M. Use of backrest elevation in critical care: a pilot study. 1999;8:475-480
Patient self-determination act
Ott BB. Advance directives: the emerging body of research. 1999;8:514-519
Personnel retention
Boyle DK, Bott MJ, Hansen HE, Woods CQ, Taunton RL. *Managers' leadership and critical care nurses' intent to stay.* 1999;8:361-371
Dracup K, Bryan-Brown CW. Searching for satisfaction. 1999;8:356-358
Personnel turnover
Boyle DK, Bott MJ, Hansen HE, Woods CQ, Taunton RL. Managers' leadership and critical care nurses' intent to stay. *1999;8:361-371*
Pneumonectomy
Faul JL, Doyle RL, Weinacker AB, Raffin TA. Quality of life and lung volume reduction surgery. 1999;8:359-360
Anderson KL. Change in quality of life after lung volume reduction surgery. 1999;8:389-396
Point-of-care testing
Harvey MA. Point-of-care laboratory testing in critical care. 1999;8:72-83
Metheny NA, Aud MA, Wunderlich RJ. A survey of bedside methods used to detect pulmonary aspiration of enteral formula in intubated tube-fed patients. 1999;8:160-167
Pressure ulcer
Carlson EV, Kemp MG, Shott S. Predicting the risk of pressure ulcers in critically ill patients. 1999;8:262-269
Prone position
Curley MAQ. Prone positioning of patients with acute respiratory distress syndrome: a systematic review. 1999;8:397-405
Propanediols
Arbour RB. Propylene glycol toxicity related to high-dose lorazepam infusion: case report and discussion. *1999;8:499-506*
Propofol
Kowalski SD, Rayfield CA. A post hoc descriptive study of patients receiving propofol. 1999;8:507-513
Q-sort
Luniewski M, Reigle J, White B. Card sort: an assessment tool for the educational needs of patients with heart failure. 1999;8:297-302
Quality of life
Anderson KL. Change in quality of life after lung volume reduction surgery. 1999;8:389-396
Faul JL, Doyle RL, Weinacker AB, Raffin TA. Quality of life and lung volume reduction surgery. 1999;8:359-360
Savage LS, Canody C. Life with a left ventricular assist device: the patient's perspective. 1999;8:340-343
Race factors
Griffiths DH, Pokorny ME, Bowman JM. Differences in African American and white women with myocardial infarction: history, presentation, diagnostic methods, and infarction type. 1999;8:101-104
Verderber A, Castelfranco AM, Nishioka D, Johnson KG. Cardiovascular risk factors and cardiac surgery outcomes in a multiethnic sample of men and women. 1999;8:140-148
Research methodology
Glaser DN. The controversy of significance testing: misconceptions and alternatives. 1999;8:291-296
Respiratory distress syndrome, acute
Curley MAQ. Prone positioning of patients with acute respiratory *distress syndrome: a systematic review. 1999;8:397-405*
Sedation
Arbour RB. Propylene glycol toxicity related to high-dose lorazepam infusion: case report and discussion. 1999; 8:499-506
Kowalski SD, Rayfield CA. A post hoc descriptive study of patients receiving propofol. 1999;8:507-513
Sex factors
Baggs JG. Women in the intensive care unit. 1999;8:207-209
Significance test
Glaser DN. The controversy of significance testing: misconceptions and alternatives. 1999;8:291-296
Skin care
Carlson EV, Kemp MG, Shott S. Predicting the risk of pressure ulcers in critically ill patients. 1999;8:262-269
Skin integrity impairment risk
Carlson EV, Kemp MG, Shott S. Predicting the risk of pressure *ulcers in critically ill patients. 1999;8:262-269*
Sleep pattern disturbance
Wallace CJ, Robins J, Alvord LS, Walker JM. The effect of earplugs on sleep measures during exposure to simulated intensive care unit noise. 1999;8:210-219
Sports medicine
Futterman LG, Lemberg L. Commotio cordis: sudden cardiac *death in athletes. 1999;8:270-272*
Statistical significance
Glaser DN. The controversy of significance testing: misconceptions and alternatives. 1999;8:291-296
Stress management
Kim H, Garvin BJ, Moser DK. Stress during mechanical ventilation: benefit of having concrete objective information before *cardiac surgery. 1999;8:118-126*
Subacute care
Besserman E, Teres D, Logan A, Brennan M, Cleaves S, Bayly R, Brochis D, Nemeth B, Grare J, Ngo D. Use of flexible inter-

mediate and intensive care to reduce multiple transfers of patients. 1999;8:170-179

Suctioning, endotracheal

Ackerman MH. What would Vesalius think? 1999;8:70-71

Glass C, Grap MJ, Sessler CN. Endotracheal tube narrowing after closed-system suctioning: prevalence and risk factors. 1999;8:93-100

Kinloch D. Instillation of normal saline during endotracheal suctioning: effects on mixed venous oxygen saturation. 1999;8:231-240

Surgery, lung

Faul JL, Doyle RL, Weinacker AB, Raffin TA. Quality of life and lung volume reduction surgery. 1999;8:359-360

Anderson KL. Change in quality of life after lung volume reduction surgery. 1999;8:389-396

Surgical wound care

Goldsborough MA, Miller MH, Gibson J, Creighton-Kelly S, Custer CA, Wallop JM, Greene PS. Prevalence of leg wound complications after coronary artery bypass grafting: determination of risk factors. 1999;8:149-153

Tachycardia

Alsabrook G, Lazio L, Lasater M. Noninvasive assessment of hemodynamic characteristics in an episode of sustained narrow-complex tachycardia. 1999;8:243-245

Telenursing

Savage L, Grap MJ. Telephone monitoring after early discharge for cardiac surgery patients. 1999;8:154-159

Thermodilution

Albert NM, Spear BT, Hammel J. Agreement and clinical utility of 2 techniques for measuring cardiac output in patients with low cardiac output. 1999;8:464-474

McCloy K, Leung S, Belden J, Castenada J, Erickson V, Koch K, Livingston N, Moughrabis S, Gawlinski A. Effects of injectate volume on thermodilution measurements of cardiac output in patients with low ventricular ejection fraction. 1999;8:86-92

Thoracotomy

Schmelz JO, Johnson D, Norton JM, Andrews M, Gordon PA. Effects of position of chest drainage tube on volume drained and pressure. 1999;8:319-323

Thrombosis

Carboni AF. Inherited thrombophilic syndromes and the use of ventricular assist devices. 1999;8:127-129

Thrombolytic therapy

Comeau-Luis OY, Corbett SW, Wittlake WA, Jutzy KR, Huiskes BL. Case report: reversal of an evolving myocardial infarction with intravenous thrombolysis. 1999;8:246-249

Toxicology

Arbour RB. Propylene glycol toxicity related to high-dose lorazepam infusion: case report and discussion. 1999;8:499-506

Transfer, intrahospital

Besserman E, Teres D, Logan A, Brennan M, Cleaves S, Bayly R, Brochis D, Nemeth B, Grare J, Ngo D. Use of flexible intermediate and intensive care to reduce multiple transfers of patients. 1999;8:170-179

Trauma nursing

Carroll KC, Atkins PJ, Herold GR, Mlcek CA, Shively M, Clopton P, Glaser DN. Pain assessment and management in critically ill postoperative and trauma patients: a multisite study. 1999;8:105-117

Johnson KL, Cheung RB, Johnson SB, Roberts M, Niblett J, Manson D. Therapeutic paralysis of critically ill trauma patients: perceptions of patients and their family members. 1999;8:490-498

Vascular access devices

Arrants J, Willis ME, Stevens B, Gripkey L, Herman JA, Hernandez-Brooks L, Eaker J. Reliability of an intravenous intermittent access port (saline lock) for obtaining blood samples for coagulation studies. 1999;8:344-348

Ventilation, mechanical

Kim H, Garvin BJ, Moser DK. Stress during mechanical ventilation: benefit of having concrete objective information before cardiac surgery. 1999;8:118-126

Powers J, Bennett SJ. Measurement of dyspnea in patients treated with mechanical ventilation. 1999;8:254-261

Ventricular ejection fraction

McCloy K, Leung S, Belden J, Castenada J, Erickson V, Koch K, Livingston N, Moughrabis S, Gawlinski A. Effects of injectate volume on thermodilution measurements of cardiac output in patients with low ventricular ejection fraction. 1999;8:86-92

Wounds, non penetrating

Golden P. Chylothorax in blunt trauma: a case report. 1999;8:189-192